

Name	: DUMMY	Age	: 40 Years
Lab No.	: B168005	Gender	: Female
Ref By	: SELF	Reported	: 18/3/2023 3:05:13PM
Collected	: 18/3/2023 11:39:00AM	Report Status	: Interim
A/c Status	: P	Processed at	: LPL-NATIONAL REFERENCE LAB
Collected at	: PRODUCTION TEST COLLECTION CENTRE SECTOR - 18, BLOCK-E ROHINI DELHI 110085		: National Reference laboratory, Block E, Sector 18, Rohini, New Delhi -110085



Test Report

Test Name	Results	Units	Bio. Ref. Interval
GFR (GLOMERULAR FILTRATION RATE), ESTIMATED (Compensated Jaffe's reaction, IDMS traceable)			
Creatinine, Serum	0.80	mg/dL	0.55 - 1.02
GFR, Estimated	95	mL/min/1.73m ²	>59
GFR Category	G1 (Normal or high in GFR)		

Note

1. GFR, estimated (eGFR) calculated using the 2021 CKD-EPI creatinine equation and GFR Category reported as per KDIGO guideline 2012
2. In patients, with eGFR between 45-59 ml/min/1.73 m² (G3a) and without any marker of kidney damage, it is recommended to measure eGFR with cystatin C for confirmation of CKD.
3. eGFR category G1 or G2 does not fulfil the criteria for CKD, in the absence of evidence of kidney damage
4. In a suspected case of Acute kidney injury (AKI), measurement of GFR should be done after 48-96 hours of any intervention or procedure.
5. GFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle mass, Diet and certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C.

Dr Himangshu Mazumdar
MD, Biochemistry
Sr. Consultant Biochemist
NRL - Dr Lal PathLabs Ltd

Dr.Kamal Modi
MD, Biochemistry
Consultant Biochemist
NRL - Dr Lal PathLabs Ltd

Dr Nimmi Kansal
MD, Biochemistry
Technical Director - Clinical
Chemistry & Biochemical Genetics
NRL - Dr Lal PathLabs Ltd



Name : DUMMY

Lab No. : B168005

Ref By : SELF

Collected : 18/3/2023 11:39:00AM

A/c Status : P

Collected at : PRODUCTION TEST COLLECTION CENTRE
SECTOR - 18, BLOCK-E ROHINI
DELHI 110085

Age : 40 Years

Gender : Female

Reported : 18/3/2023 3:05:13PM

Report Status : Interim

Processed at : LPL-NATIONAL REFERENCE LAB
National Reference laboratory, Block E,
Sector 18, Rohini, New Delhi -110085



Test Report

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

Result/s to follow:

GFR (GLOMERULAR FILTRATION RATE), ESTIMATED

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory. •Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner /Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

National Reference lab, Delhi, a CAP (7171001) Accredited, ISO 9001:2015 (FS60411) & ISO 27001:2013 (616691) Certified laboratory.

