

LPL - PRODUCTION TEST COLLECTION CENTRE SECTOR - 18, BLOCK-E ROHINI DELHI 110085

Name : DUMMY Collected : 29/5/2021 1:37:00AM

Lab No. : DUMMYH026 Age: 25 Years Gender: Male Received : 29/5/2021 4:27:46PM Reported : 1/6/2021 4:02:49PM

A/c Status : P Ref By : DR. DUMMY DUMMY Report Status : Final

Test Name Results Units Bio. Ref. Interval

FIBRINOGEN DEGRADATION PRODUCTS (FDP), 3.00 ug/mL <5.00

BLOOD

(Latex Agglutination)

Interpretation

| RESULT IN ug/mL | REMARKS |
|-----------------|-------------------|
| <5 | Negative |
| 5-20 | Positive |
| >20 | Strongly Positive |

Note

- 1. Results should be clinically correlated
- 2. Test conducted on Citrated plasma

Comments

Fibrin Degradation products (FDP) indicate only plasmin cleaved fibrinogen / soluble or insoluble fibrin unlike D-dimer which indicates both thrombin & plasmin formation. In Disseminated intravascular coagulation (DIC), both thrombin and plasmin are generated.

Increased FDPs may be a sign of primary or secondary fibrinolysis due to:

- Disseminated intravascular Coagulation
- Burns
- Abruptio Placentae
- Infections
- Intrauterine death
- Congenital Heart Disease





LPL - PRODUCTION TEST COLLECTION CENTRE SECTOR - 18, BLOCK-E ROHINI DELHI 110085

Name : DUMMY

Collected

: 29/5/2021 1:37:00AM

Lab No.

DUMMYH026 Age: 25 Years

Received Reported : 29/5/2021 4:27:46PM : 1/6/2021 4:02:49PM

A/c Status : P Ref By : DR. DUMMY DUMMY

Report Status : Final

Test Name

Results

Male

Gender:

Units

Bio. Ref. Interval

Dr. Ajay Gupta

Dr. Ajay Gupta MD, Pathology HOD Hematology & Immunohematology NRL - Dr Lal PathLabs Ltd Grapmetries

Dr Gurleen Oberoi DM(Hematopathology), MD, DNB,MNAMS Consultant & Technical Lead -Hematopathology NRL - Dr Lai Pathi abs Ltd Dr. Jatin Munjal

Dr. Jatin Munjal MD,Pathology Consultant Pathologist Dr Lal PathLabs Ltd Saite Kuman Ce

Dr.Sarita Kumari Lal MD, Pathology Consultant Pathologist Dr Lal PathLabs Ltd

Sunanda

Dr Sunanda MD, Pathology Consultant Pathologist Dr Lal PathLabs Ltd

-----End of report -----

IMPORTANT INSTRUCTIONS

*Test results released pertain to the specimen submitted.*All test results are dependent on the quality of the sample received by the Laboratory.

*Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician.*Sample repeats are accepted on request of Referring Physician within 7 days post reporting.*Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.*Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.*Test results may show interlaboratory variations.*The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).*Test results are not valid for medico legal purposes. *Contact customer care Tel No. +91-11-39885050 for all queries related to test results.

(#) Sample drawn from outside source.

