

Name : DUMMY
Lab No. : LPLH038
Ref By : SELF
Collected : 3/10/2023 1:38:00PM
A/c Status : P
Collected at : PRODUCTION TEST COLLECTION CENTRE
 SECTOR - 18, BLOCK-E ROHINI
 DELHI 110085

Age : 31 Years
Gender : Female
Reported : 4/10/2023 11:25:32AM
Report Status : Interim
Processed at : LPL-NATIONAL REFERENCE LAB
 National Reference laboratory, Block E,
 Sector 18, Rohini, New Delhi -110085



Test Report

Test Name	Results	Units	Bio. Ref. Interval
THROMBIN TIME; TT (Photo-optical clot detection)			
Patient Value		sec	12.6 - 16.5
Control Value	14.50	sec	

Note

1. Thrombin Time should be interpreted in conjunction with other coagulation assays like PT & APTT to enhance diagnostic value.
2. Results should be clinically correlated.
3. Test conducted on Citrated plasma.

Comments

Thrombin Time (TT) measures the ability of exogenous thrombin to proteolyse fibrinogen. Thus it is used to characterize fibrinogen function. It is prolonged in conditions like hypofibrinogenemia, dysfibrinogenemia, presence of fibrin degradation products, antibody inhibitors of thrombin and in conditions with high concentrations of monoclonal immunoglobulins which interfere with fibrin monomer polymerization like Myeloma & Macroglobulinemia.

Dr Ajay Gupta
 MD, Pathology
 Technical Director - Hematology &
 Immunology
 NRL - Dr Lal PathLabs Ltd

Dr Gurleen Oberoi
 DM(Hematopathology),
 MD,DNB,MNAMS
 Senior Consultant and Lead-
 Hematopathology
 NRL - Dr Lal PathLabs Ltd

Dr Jatin Munjal
 MD,Pathology
 Consultant Pathologist
 Dr Lal PathLabs Ltd

Dr Sarita Kumari Lal
 MD, Pathology
 Consultant Pathologist
 Dr Lal PathLabs Ltd

Dr Sunanda
 MD, Pathology
 Sr. Consultant Pathologist -
 Hematology & Immunology
 NRL - Dr Lal PathLabs Ltd



Name	: DUMMY	Age	: 31 Years
Lab No.	: LPLH038	Gender	: Female
Ref By	: SELF	Reported	: 4/10/2023 11:25:32AM
Collected	: 3/10/2023 1:38:00PM	Report Status	: Interim
A/c Status	: P	Processed at	: LPL-NATIONAL REFERENCE LAB
Collected at	: PRODUCTION TEST COLLECTION CENTRE		: National Reference laboratory, Block E,
	: SECTOR - 18, BLOCK-E ROHINI		: Sector 18, Rohini, New Delhi -110085
	: DELHI 110085		



Test Report

Test Name	Results	Units	Bio. Ref. Interval
------------------	----------------	--------------	---------------------------

Result/s to follow:
THROMBIN TIME; TT

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory. •Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner /Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

National Reference lab, Delhi, a CAP (7171001) Accredited, ISO 9001:2015 (FS60411) & ISO 27001:2013 (616691) Certified laboratory.

