



Name	: Mr. DUMMY	Age	: 25 Years
Lab No.	: WM15SPF	Gender	: Male
Ref By	: SELF	Reported	: 11/11/2023 11:54:11AM
Collected	: 7/11/2023 11:08:00AM	Report Status	: Final
A/c Status	: P	Processed at	: LPL-NATIONAL REFERENCE LAB
Collected at	: LPL-ROHINI (NATIONAL REFERENCE LAB) National Reference laboratory, Block E, Sector 18, ROHINI DELHI 110085		: National Reference laboratory, Block E, Sector 18, Rohini, New Delhi -110085

Test Report

Test Name	Results	Units	Ref. Interval
-----------	---------	-------	---------------

SWASTHFIT SUPER 2

LIVER & KIDNEY PANEL, SERUM

Creatinine (Modified Jaffe,Kinetic)	0.72	mg/dL	0.70 - 1.30
GFR Estimated (CKD EPI Equation 2021)	130	mL/min/1.73m ²	>59
GFR Category (KDIGO Guideline 2012)	G1		
Urea (Urease UV)	14.00	mg/dL	13.00 - 43.00
Urea Nitrogen Blood (Calculated)	6.54	mg/dL	6.00 - 20.00
BUN/Creatinine Ratio (Calculated)	9		
Uric Acid (Uricase)		mg/dL	3.50 - 7.20
AST (SGOT) (IFCC without P5P)	16.0	U/L	15.00 - 40.00
ALT (SGPT) (IFCC without P5P)	11.0	U/L	10.00 - 49.00
GGTP (IFCC)	72.0	U/L	0 - 73
Alkaline Phosphatase (ALP) (IFCC-AMP)	31.00	U/L	30.00 - 120.00
Bilirubin Total (Oxidation)	1.00	mg/dL	0.30 - 1.20
Bilirubin Direct (Oxidation)	0.20	mg/dL	<0.3
Bilirubin Indirect (Calculated)	0.80	mg/dL	<1.10
Total Protein (Biret)	3.50	g/dL	5.70 - 8.20
Albumin (BCG)	3.10	g/dL	3.20 - 4.80
A : G Ratio (Calculated)	7.75		0.90 - 2.00
Globulin(Calculated)	0.40	gm/dL	2.0 - 3.5
Calcium, Total (Arsenazo III)	10.00	mg/dL	8.70 - 10.40





Name : Mr. DUMMY
 Lab No. : WM15SPF Age : 25 Years
 Ref By : SELF Gender : Male
 Collected : 7/11/2023 11:08:00AM Reported : 11/11/2023 11:54:11AM
 A/c Status : P Report Status : Final
 Collected at : LPL-ROHINI (NATIONAL REFERENCE LAB) Processed at : LPL-NATIONAL REFERENCE LAB
 National Reference laboratory, Block E, Sector 18, ROHINI National Reference laboratory, Block E, Sector 18, Rohini, New Delhi -110085
 DELHI 110085

Test Report

Test Name	Results	Units	Ref. Interval
Phosphorus (Molybdate UV)	3.40	mg/dL	2.50 - 5.10
Sodium (Indirect ISE)	137.00	mEq/L	136.00 - 145.00
Potassium (Indirect ISE)	4.00	mEq/L	3.50 - 5.10
Chloride (Indirect ISE)	99.00	mEq/L	98.00 - 107.00

LIPID SCREEN, SERUM

Cholesterol, Total (CHO-POD)	151.00	mg/dL	<200.00
Triglycerides (GPO-POD)	115.00	mg/dL	<150.00
HDL Cholesterol (Enz Immunoinhibition)	41.00	mg/dL	>40.00
LDL Cholesterol, Calculated (Calculated)	81.00	mg/dL	<100.00
VLDL Cholesterol, Calculated (Calculated)	29.00	mg/dL	<30.00
Non-HDL Cholesterol (Calculated)	110	mg/dL	<130

Note

- Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
- Additional testing for Apolipoprotein B, hsCRP, Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement.

Treatment Goals as per Lipid Association of India 2020

RISK CATEGORY	TREATMENT GOAL		CONSIDER THERAPY	
	LDL CHOLESTEROL (LDL-C) (mg/dL)	NON HDL CHOLESTEROL (NON HDL-C) (mg/dL)	LDL CHOLESTEROL (LDL-C) (mg/dL)	NON HDL CHOLESTEROL (NON HDL-C) (mg/dL)
Extreme Risk Group Category A	<50 (Optional goal ≤30)	<80 (Optional goal ≤60)	≥50	≥80
Extreme Risk Group Category A	≤30	≤60	>30	>60
Very High	<50	<80	≥50	≥80





Name : Mr. DUMMY
 Lab No. : WM15SPF
 Ref By : SELF
 Collected : 7/11/2023 11:08:00AM
 A/c Status : P
 Collected at : LPL-ROHINI (NATIONAL REFERENCE LAB)
 National Reference laboratory, Block E, Sector
 18, ROHINI
 DELHI 110085

Age : 25 Years
 Gender : Male
 Reported : 11/11/2023 11:54:11AM
 Report Status : Final
 Processed at : LPL-NATIONAL REFERENCE LAB
 National Reference laboratory, Block E,
 Sector 18, Rohini, New Delhi -110085

Test Report

Test Name	Results	Units	Ref. Interval
High	<70	<100	≥70 ≥100
Moderate	<100	<130	≥100 100
Low	<100	<130	≥130* ≥160*

*In low risk patient, consider therapy after an initial non-pharmacological intervention for at least 2 months

GLUCOSE, FASTING (F)

Glucose Fasting (Hexokinase)	100.00	mg/dL	70 - 100
---------------------------------	--------	-------	----------

THYROID PROFILE, TOTAL, SERUM (CLIA)

T3, Total	1.00	ng/mL	0.60 - 1.81
T4, Total	5.90	µg/dL	5.01 - 12.45
TSH	4.00	µIU/mL	0.550 - 4.780

Note

- TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 a.m. The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.
- Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.
- Unbound fraction (Free, T4 /Free, T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration
 Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals



Name : Mr. DUMMY	Age : 25 Years
Lab No. : WM15SPF	Gender : Male
Ref By : SELF	Reported : 11/11/2023 11:54:11AM
Collected : 7/11/2023 11:08:00AM	Report Status : Final
A/c Status : P	Processed at : LPL-NATIONAL REFERENCE LAB
Collected at : LPL-ROHINI (NATIONAL REFERENCE LAB) National Reference laboratory, Block E, Sector 18, ROHINI DELHI 110085	National Reference laboratory, Block E, Sector 18, Rohini, New Delhi -110085



Test Report

Test Name	Results	Units	Ref. Interval
HbA1c (GLYCOSYLATED HEMOGLOBIN), BLOOD (HPLC, NGSP certified)			
HbA1c	5.0	%	4.00 - 5.60
Estimated average glucose (eAG)	97	mg/dL	

Interpretation

HbA1c result is suggestive of non diabetic adults (>=18 years), well controlled Diabetes in a known Diabetic

Interpretation as per American Diabetes Association (ADA) Guidelines

Reference Group	Non diabetic adults >=18 years	At risk (Pre diabetes)	Diagnosing Diabetes	Therapeutic goals for glycemic control
HbA1c in %	4.0-5.6	5.7-6.4	>= 6.5	<7.0

Note: Presence of Hemoglobin variants and/or conditions that affect red cell turnover must be considered, particularly when the HbA1C result does not correlate with the patient's blood glucose levels.

FACTORS THAT INTERFERE WITH HbA1c MEASUREMENT	FACTORS THAT AFFECT INTERPRETATION OF HbA1c RESULTS
Hemoglobin variants (e.g., fetal hemoglobin (HbF) and chemically modified derivatives) and hemoglobin (e.g., carbamylated Hb) in patients with renal failure can affect the accuracy of HbA1c measurements	Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g., recovery from acute blood loss, hemolytic anemia, HbSS, HbCC, and HbSC) will falsely lower HbA1c test results regardless of the assay method used. Iron deficiency anemia is associated with higher HbA1c





Name : Mr. DUMMY
Lab No. : WM15SPF
Ref By : SELF
Collected : 7/11/2023 11:08:00AM
A/c Status : P
Collected at : LPL-ROHINI (NATIONAL REFERENCE LAB)
 National Reference laboratory, Block E, Sector
 18, ROHINI
 DELHI 110085

Age : 25 Years
Gender : Male
Reported : 11/11/2023 11:54:11AM
Report Status : Final
Processed at : LPL-NATIONAL REFERENCE LAB
 National Reference laboratory, Block
 Sector 18, Rohini, New Delhi -110085

Test Report

Test Name	Results	Units	Ref. Interval
COMPLETE BLOOD COUNT; CBC			
Hemoglobin (Photometry)	14.00	g/dL	13.00 - 17.00
Packed Cell Volume (PCV) (Calculated)	41.00	%	40.00 - 50.00
RBC Count (Electrical Impedance)	5.00	million/mm ³	4.50 - 5.50
MCV (Electrical Impedance)	84	fL	83.00 - 101.00
MCH (Calculated)	28.00	pg	27.00 - 32.00
MCHC (Calculated)	32.00	g/dL	31.50 - 34.50
Red Cell Distribution Width (RDW) (Electrical Impedance)	12.00	%	11.60 - 14.00
Total Leukocyte Count (TLC) (Electrical Impedance)	5.00	thou/mm ³	4.00 - 10.00
Differential Leucocyte Count (DLC) (VCS Technology)			
Segmented Neutrophils	50.00	%	40.00 - 80.00
Lymphocytes	40.00	%	20.00 - 40.00
Monocytes	8.00	%	2.00 - 10.00
Eosinophils	1.00	%	1.00 - 6.00
Basophils	1.00	%	<2.00
Absolute Leukocyte Count (Calculated)			
Neutrophils	2.50	thou/mm ³	2.00 - 7.00
Lymphocytes	2.00	thou/mm ³	1.00 - 3.00
Monocytes	0.40	thou/mm ³	0.20 - 1.00
Eosinophils	0.05	thou/mm ³	0.02 - 0.50
Basophils	0.05	thou/mm ³	0.02 - 0.10
Platelet Count (Electrical impedance)	151	thou/mm ³	150.00 - 410.00
Mean Platelet Volume (Electrical Impedance)	11.0	fL	6.5 - 12.0

Note

1. As per the recommendation of International council for Standardization in Hematology, the differential





Name : Mr. DUMMY
Lab No. : WM15SPF
Ref By : SELF
Collected : 7/11/2023 11:08:00AM
A/c Status : P
Collected at : LPL-ROHINI (NATIONAL REFERENCE LAB)
 National Reference laboratory, Block E, Sector 18, ROHINI DELHI 110085

Age : 25 Years
Gender : Male
Reported : 11/11/2023 11:54:11AM
Report Status : Final
Processed at : LPL-NATIONAL REFERENCE LAB
 National Reference laboratory, Block E, Sector 18, Rohini, New Delhi -110085

Test Report

Test Name : leucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of blood
Results :
Units :
Interval :
 2. Test conducted on EDTA whole blood

 MCI - 24779 Dr. Ajay Gupta MD, Pathology Technical Director - Hematology & Immunology NRL - Dr Lal PathLabs Ltd	 DMC - 77091 Dr Gurleen Oberoi DM(Hematopathology), MD,DNB,MNAMS Senior Consultant and Lead- Hematopathology NRL - Dr Lal PathLabs Ltd	 DMC - 89819 Dr Himanshu Mazumdar MD, Biochemistry Consultant Biochemist Dr Lal PathLabs Ltd	 DMC - 15907 Dr. Jai Munjal MD, Pathology Consultant Pathologist Dr Lal PathLabs Ltd
 DMC - 89936 Dr. Kamal Modi MD, Biochemistry Consultant Biochemist NRL - Dr Lal PathLabs Ltd	 DMC - 9550 Dr Nimmi Kansal MD, Biochemistry Technical Director - Clinical Chemistry & Biochemical Genetics NRL - Dr Lal PathLabs Ltd	 DMC - 24201 Dr Sarita Kumari Lal MD, Pathology Consultant Pathologist Dr Lal PathLabs Ltd	 DMC - 46663 Dr Sunanda MD, Pathology Sr. Consultant Pathologist - Hematology & Immunology NRL - Dr Lal PathLabs Ltd

-----End of report-----



IMPORTANT INSTRUCTIONS

• Test results pertain to the specimen submitted. • All test results are dependent on the quality of the sample received by the Laboratory. • Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. • Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. • Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. • Test results may show interlaboratory variations. • The Courts, Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). • Test results are not valid for medico legal purposes. • This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. • The report does not need physical signature.
 (#) Sample drawn from outside source.
 If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.
 Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com
National Reference lab, Delhi, a CAP (7171001) Accredited, ISO 9001:2015 (FS60411) & ISO 27001:2013 (616691) Certified laboratory.

