

| | | | |
|---------------------|--|----------------------|---|
| Name | : DUMMY | Age | : 47 Years |
| Lab No. | : NS0206 | Gender | : Male |
| Ref By | : DR. DUMMY DUMMY | Reported | : 2/2/2024 6:01:34PM |
| Collected | : 2/2/2024 5:35:54AM | Report Status | : Interim |
| A/c Status | : P | Processed at | : LPL-NATIONAL REFERENCE LAB |
| Collected at | : PRODUCTION TEST COLLECTION CENTRE SECTOR - 18, BLOCK-E ROHINI DELHI 110085 | | : National Reference laboratory, Block E, Sector 18, Rohini, New Delhi -110085 |

Test Report

| Test Name | Results | Units | Bio. Ref. Interval |
|---|---------|-------|--------------------|
| CORTISOL CREATININE RATIO, RANDOM URINE (CMIA, Compensated Jaffe's Reaction IDMS Traceable, Calculated) | | | |
| Cortisol | 400.00 | µg/dL | Not Established |
| Creatinine | 0.20 | mg/dL | 22.00 - 328.00 |
| Cortisol: Creatinine Ratio | 2.00 | mg/dL | Not Established |

Comments:

Urinary free cortisol is a sensitive test for the various types of adrenocortical dysfunction, particularly hypercortisolism (Cushing syndrome). Urinary Cortisol Creatinine Ratio is significantly elevated in individuals with Cushing's syndrome as compared to those who do not have Cushing's syndrome.

Dr Himangshu Mazumdar
MD, Biochemistry
Sr. Consultant Biochemist
NRL - Dr Lal PathLabs Ltd

Dr.Kamal Modi
MD, Biochemistry
Consultant Biochemist
NRL - Dr Lal PathLabs Ltd

Dr Nimmi Kansal
MD, Biochemistry
Technical Director - Clinical
Chemistry & Biochemical Genetics
NRL - Dr Lal PathLabs Ltd

Result/s to follow:

CORTISOL CREATININE RATIO, RANDOM URINE

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory. •Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner /Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

National Reference lab, Delhi, a CAP (7171001) Accredited, ISO 9001:2015 (FS60411) & ISO 27001:2013 (616691) Certified laboratory.

